Applicant: Martin Kreyenschmidt

Serial No.: 09/763,280

Group Art Unit: 1711

IN THE CLAIMS:

Please amend the following claims having the same number as indicated:

Claims 1 - 16 Cancelled

Please add the following new claims:

17. (New) A process for producing a flexible polyurethane foam for use as

mattress, upholstery, or carpet material, said process comprising the steps of:

providing compounds which are reactive toward isocyanates;

providing an isocyanate;

providing at least one organic or inorganic acid anhydride;

mixing the isocyanate and the organic or inorganic acid anhydride outside the

presence of the compounds which are reactive toward isocyanates to form a mixture having

the acid anhydride in an unreacted state;

reacting the compounds and the mixture in the presence of at least one urethane

forming catalyst selected from the group consisting of organic amines and organic metal

compounds such that the acid anhydride remains in the unreacted state throughout the

reaction of the compounds and the mixture to form the flexible polyurethane foam; and

wherein the flexible polyurethane foam has a density of from 20 to 70 kg/m<sup>3</sup> with the

acid anhydride in the unreacted state capable of being hydrolyzed to prevent deterioration of

the flexible polyurethane foam when exposed to hot or humid conditions.

BASF Docket No.: IN-12071 H&H Docket No.: 65,205-211 Applicant: Martin Kreyenschmidt

Serial No.: 09/763,280 Group Art Unit: 1711

18. (New) A process as claimed in claim 17 further comprising the step of

providing the acid anhydride in an amount of from 0.01 to 20% by weight, based on the

weight of the mixture.

19. (New) A process as claimed in claim 17 further comprising the step of

providing the acid anhydride based on one of pyromellitic acid, citraconic acid, itaconic acid,

phthalic, isophthalic and/or terephthalic acid, benzonic acid, phenylacetic acid,

cyclohexylalkanoic acid, malonic acid, adducts of maleic acid with styrene and/or of maleic

acid and alkylenes, succinic acid, maleic acid, polymaleic acid, and glutaric acid.

20. (New) A process as claimed in claim 17 further comprising the step of providing

the acid anhydride as a copolymer of one of pyromellitic acid, citraconic acid, itaconic acid,

phthalic, isophthalic and/or terephthalic acid, benzonic acid, phenylacetic acid,

cyclohexylalkanoic acid, malonic acid, succinic acid, maleic acid, polymaleic acid, and

glutaric acid with comonomers which are copolymerizable with these acids.

21. (New) A process as claimed in claim 17 wherein the acid anhydride comprises

alicyclic carboxylic acid compounds.

22. (New) A process as claimed in claim 21 wherein the alicyclic carboxylic acid

compounds are selected from at least one of pyromellitic acid, phthalic acid, isophthalic acid,

terephthalic acid, benzonic acid, phenylacetic acid, and cyclohexylalkanoic acid.

23. (New) A process as claimed in claim 17 wherein the acid anhydride comprises

aliphatic carboxylic acid compounds.

BASF Docket No.: IN-12071 H&H Docket No.: 65,205-211

Applicant: Martin Kreyenschmidt

Serial No.: 09/763,280 Group Art Unit: 1711

24. (New) A process as claimed in claim 23 wherein the aliphatic carboxylic acid

compounds are selected from at least one of citraconic acid, itaconic acid, malonic acid,

adducts of maleic acid with styrene and/or of maleic acid and alkylenes, succinic acid, maleic

acid, polymaleic acid, and glutaric acid.

BASF Docket No.: IN-12071 H&H Docket No.: 65,205-211